

- **Standing Desks**
- **Standing Desk Converter**
- **Accessories**
- **Our Client**

FreeMAX

☎ (852) 3112 0707

☎ (852) 3016 9325

✉ info@freemax.com.hk

🛒 • Shop 306, 3/F, Tai Yau Plaza, 181
Johnston Road, Wan Chai

🛒 • Shop 336, 3/F, Pioneer Centre,
750 Nathan Road, Mongkok

🛒 • Shop 423, 4/F, Tsuen Wan Plaza,
4-30 Tai Pa Street, Tsuen Wan

🖱 www.freemax.com.hk

📞 6939 5073

📘 www.facebook.com/FreeMAXhk/



Explore our range of standing desks at FreeMAX. We have standing desks available in different sizes and materials. With the height adjustable design, it gives you a more healthier, comfortable and efficient work pattern. Sitting or standing for work is just your choice.



INDEX

01
A6-N1

02
A6-Homey

03
A6-N2-XS

04
A6-N2

05
A6-N3

06
A7 L Shape

07
E3L Shape

08
A6-MC

09 - 11
Accessories

12
TCT G5

13
EDOD-3

14
EDOD-3-DA

15
MDOD2

16
MDOD2 S

A6-N1




Technical Specifications:

Desktop Width: 800
Desktop Depth: 550
Height Range: 720mm ~ 1200mm (not including the desktop)
Max. speed: 20 mm/s
Lift Capacity: 50 kg
Anti-collapse
Duty Cycle: max 2 minutes on / 18 minutes off
Input Voltage: 100 ~ 240v
Output Voltage: 24V DC2.0A
Desktop Colour:



Desktop Frame Colour:



Change Posture by a Press

Electrical adjustor

A6-N1 has capable of lifting a hefty 50kg load at the speed of 20mm/s without making too much noise. The life cycle is greater than 20,000 times.



Space Saving

The Monitor Arm can be install into the concave design, affixed to the wall to use



Simple operation

A6-N1 equip with 4 memorized levels allow you to preset 4 levels regularly.



Durable

The steel frames are coated with durable powder coating in color of black or white



A6-Homey Plus

Change Posture by a Press



Technical Specifications:

Desktop Width: 1000/ 1200/ 1500
Desktop Depth: 600 (1000) / 700 (1200 / 1500)
Height Range: 720mm ~ 1200mm (not including the desktop)
Bottom Width: 100cm ~ 145cm
Max. speed: 20 mm/s
Lift Capacity: 80 kg
Duty Cycle: max 2 minutes on / 18 minutes off
Input Voltage: 100 ~ 240v
Output Voltage: 24V DC2.0A
Desktop Colour:



Desktop Frame Colour:



Electrical adjustor

A6-Homey has capable of lifting a hefty 80kg load at the speed of 25 mm/s without making too much noise. The life cycle is greater than 20,000 times.



Width-adjustable

The frame is width-adjustable, going from 1200 to 1800, and allowing you to custom-set the spacing between the legs when you construct your desk.



Simple operation

A6-Homey standing Desk equip with 4 memorized levels allow you to preset 4 levels regularly.



Durable

The durable powder coated, rolled stamped steel frames are available in black or white finish.



A6-N2-XS



Technical Specifications:

Desktop Width: 1000
Desktop Depth: 600
Height Range: 720mm ~ 1200mm (not including the desktop)
Bottom Width: 110cm ~ 160cm
Max. speed: 25 mm/s
Lift Capacity: 100 kg
Duty Cycle: max 2 minutes on / 18 minutes off
Input Voltage: 100 ~ 240v
Output Voltage: 24V DC2.0A
Desktop Colour:



Desktop Frame Colour:



Change Posture by a Press

Electrical adjustor

A6-N2-XS has capable of lifting a hefty 100kg load at the speed of 25mm/s without making too much noise. The life cycle is greater than 20,000 times.



Width-adjustable

The frame is width-adjustable, going from 1200 to 1800, and allowing you to custom-set the spacing between the legs when you construct your desk.



Simple operation

A6-N2-XS equip with 4 memorized levels allow you to preset 4 levels regularly.



Durable

The durable powder coated, rolled stamped steel frames are available in black or white finish.



A6-N2



Technical Specifications:

Desktop Width: 1200/ 1500/ 1800

Desktop Depth: 700

Height Range: 720mm ~ 1200mm (not including the desktop)

Bottom Width: 110cm ~ 160cm

Max. speed: 25 mm/s

Lift Capacity: 100 kg

Duty Cycle: max 2 minutes on / 18 minutes off

Input Voltage: 100 ~ 240v

Output Voltage: 24V DC2.0A

Desktop Colour:



Desktop Frame Colour:



Change Posture by a Press

Electrical adjustor

A6-N2 has capable of lifting a hefty 100kg load at the speed of 25 mm/s without making too much noise. The life cycle is greater than 20,000 times.



Width-adjustable

The frame is width-adjustable, going from 1200 to 1800, and allowing you to custom-set the spacing between the legs when you construct your desk.




Simple operation

A6-N2 equip with 4 memorized levels allow you to preset 4 levels regularly.



Durable

The durable powder coated, rolled stamped steel frames are available in black, white, or grey finish.



A6-N3



Technical Specifications:

Desktop Width: 1200/ 1500/ 1800

Desktop Depth: 700

Height Range: 645mm ~ 1295mm
(not including the desktop)

Bottom Width: 110cm ~ 160cm

Max. speed: 38 mm/s

Lift Capacity: 120 kg


Duty Cycle: max 2 minutes on / 18 minutes off

Voltage: 90 ~ 250 AC

Desktop Colour:



Desktop Frame Colour:



Ergonomic platform for prolonged computing

Electrical adjustor

A6-N3 has capable of lifting a hefty 120kg load at the speed of 38 mm/s without making too much noise. The life cycle is greater than 20,000 times.



Width-adjustable

The frame is width-adjustable, going from 1100 to 1600, and allowing you to custom-set the spacing between the legs when you construct your desk.



Simple operation

A6-N3 equip with 4 memorized levels allow you to preset 4 levels regularly.



Durable

The durable powder coated, rolled stamped steel frames are available in black or white finish.



A7 L Shape



Technical Specifications:

Width: 1400mm x 1100mm / 1600mm x 1100mm
Depth: 700mm x 500mm / 700mm x 600mm
Height Range: 710mm ~ 1170mm (not including the desktop)
Thickness : 25mm
Max. speed: 40mm/s
Lift Capacity: 100 kg
Duty Cycle: max 2 minutes on / 18 minutes off
Input Voltage: 110 ~ 230v

Desktop Colour:



Desktop Frame Colour:



The Most Convenient System

Rapid adjustor

A7 L Shape has capable of lifting a hefty 100kg load at the speed of 40mm/s without making too much noise. The life cycle is greater than 20,000 times.



One button operation

A7 equip with 4 memorized levels allow you to preset 4 levels using regularly.



Width-adjustable

The frame is width-adjustable, going from 1400 to 1800, and allowing you to custom-set the spacing between the legs when you construct your desk.



Durable

The durable powder coated, rolled stamped steel frames are available in black or white finish.



E3 L Shape



Technical Specifications:

Desktop size: L shaped desktop consist of 2 panels
Width: 1200 x 1200/ 1500 x 1500/ 1800 x 1800
Depth: 650/700
Height Range: 640mm ~ 1290mm (not including the desktop)
Bottom Width: 110cm ~ 160cm
Max. speed: 38mm/s
Lift Capacity: 150 kg
Duty Cycle: max 2 minutes on / 18 minutes off
Input Voltage: 110 ~ 230v
Desktop Colour:



Desktop Frame Colour:



The Most Convenient System

Rapid adjustor

E3 has capable of lifting a hefty 150kg load at the speed of 38mm/s without making too much noise. The life cycle is greater than 20,000 times.



One button operation

E3 equip with 4 memorized levels allow you to preset 4 levels using regularly.



Width-adjustable

The frame is width-adjustable, going from 1200 to 1800, and allowing you to custom-set the spacing between the legs when you construct your desk.



Durable

The durable powder coated, rolled stamped steel frames are available in black or white finish.



A6-MC



Technical Specifications:

Desktop Width: 1200 / 1500 / 1800

Desktop Depth: 700

Standard Stroke: 450 mm

Speed: 7 mm / 1 circle


Height Range: 710 ~ 1160 mm

Lift Weight: 80kg

Desktop Colour:



Desktop Frame Colour:



Sit / Stand Workstation

Simple operation

The hand cranks are "hide-away" types that can be removed while not in use. It takes only a few seconds longer to raise and lower than their electrically-adjustable counterparts.



Width-adjustable

A6-MC frame is width-adjustable, going from 1200 to 1800, and allowing you to custom-set the spacing between the legs when you construct your desk.



Durable

The durable powder coated, rolled stamped steel frames are available in black, white finish.



Free from power supply

The A6-MC is operated manually. No limit to the location use.



Accessories

CPU Holder CPB-6

- Store hardware under the desk, allows better airflow to get to your CPU, while keeping the tower off the ground keeps it cool
- A 90-degree swivel mount for easy access to cables and ports, while also protecting the unit from dirt.
- The adjustable height and width which allows you to perfectly fit CPUs of various sizes and widths.
- The inside of the CPU Mount includes padding dots to protect your PC case from scratches. They are easy to both attach and remove.



Technical Specifications:

Width: 175mm X 106mm
Height: 359 – 592
Capacity: 10kg
Adjustable width: 88-203mm
Adjustable height: 300-533mm
Colour: Black

Power Strip Clamp MH01-2

The Power Strip Clamp is designed to be angled at 35° degrees to make plugging and unplugging easier on power strips with the natural movement of the arm when reaching out for it.

Technical Specifications:

1. Adjustable Clamp Height
40-70mm
2. Anti-Scratch Silicone Pads
3. Easy Setup



Keyboard tray FMKT002

- Star-knob adjustment controls height and tilt simultaneously.
- Gel wrist rests for keyboard and mouse platforms add comfort by minimizing pressure points.
- Single platform accommodates both keyboard and mouse. Mousing surface can be positioned to the left or right of the keyboard.

Technical Specifications:

Colour: Black
Applicable to: All Standing Desk
Size:
KeyBoard Tray: 640mm x 255mm
Metal Holder: 450mm x 160mm



Accessories

Modesty Panel

- Hanging clips are easy to assemble and use on most desks
- Panel delivers better privacy in a sleek design
- Designed to be compatible with standing desks



Technical Specifications:

Width: 1400mm X 400mm / 1000mm X 400mm

Colour: Grey

Material: Polyester

Only applicable to: All Standing Desk (Not included converter)

Clamps are included. 2/3 clamps provided to 1m / 1.4m respectively.

Cable Tray

Technical Specifications:

Width: 800mm

Colour: white

Material: Steel

Only applicable to: E3, A6-N2,

A6-N2-XS, A6-MC



Clamp on USB / Power Outlet

The Clamp on Power Outlet with USB Charger is a two-in-one power solution that gets multiple outlets closer to your desktop.

Technical Specifications:

2 USB

3 Power Outlet

Clamp Type with Switch



Under Desk Storage

- Expand your storage capabilities with this Under Desk Storage
- A high-quality desk collection for any organization seeking maximum performance for the price
- Let you customize your office environment
- Designed to be compatible with standing desks



Technical Specifications:

Colour: White

Only applicable to: A6-MC,

A6-N2-XS, A6-N2

Size: (M) 250mm x 185mm x 70mm

(L) 250mm x 334mm x 70mm



Accessories

Sliding Under-Desk Drawer

The sliding under desk drawer can be hidden under the standing desk, which make your desktop clean and neat without complicated installation.




Technical Specifications:

Size: 310~610mm(L) X 461mm(W) X 90mm(H)

Colour: Black

Not applicable to A6 N1/ G5 Standing Desk



Under Desk Cable Management Tray

Under desk cable management tray, a smart way to maximize your desk space. Helps you keep the cables hidden from the desk and make your desktop clean and neat.


Technical Specifications:

Size: 430 mm x 145 mm

Colour: Black

Not applicable to A6 N1/ G5

Standing Desk



Anti-fatigue Mat

The ergonomic and high rebound anti fatigue mat is matched perfectly with standing desk.

Size: 610 mm x 410 mm



TCT G5



Technical Specifications:

Size: (See below figure)

Colour: White



Bookends design
Easy to read and use the 3C products.



Pressure bar Design
Convenient height adjustment freedom.



Variable table board structure
Use freely adjusted according to demand.



PU rear wheel
Impressive floor to prevent easy movement.

EDOD 3

Transforming Your Existing Desks to Adjustable Desk



Technical Specifications:

Lift Type: Electric
Worktop Size: 27.95" - 18.90" (710mm x 480mm)
Travel: 17.72" (45cm)
Capacity: 15 lbs (20 kg)
Max Monitor Size: 32"
Monitor Adjustment: 7.9" (200mm) up/down; +45°/-45° tilt angle
Max Monitor Weight: 22 lbs (10kg)
No. of Monitor Supported: 1
Speed: 0.98" (25mm) per second
Operation Sound: < 40db
Input/ Output: AC110~230V / DC24V



Free Standing

Simply place on the existing desk. No additional fixing required.

Remote Control

EDOD3 is a power control device. It comes with Digital Controller with LED. Sit to stand with a touch of a button, Press the button to control lifting.



Desktop Organizer

There is a Mobile Holder behind the lifting button, which can be placed your mobile device safely. Also EDOD-3 equipped with two storage boxes (~4cm x 18cm).



360 Degree adjustable

The user-friendly tilt and rotation angle adjustments of the base allow the monitor to be positioned for maximum comfort to help ease the physical strains of a long workday.



Hold up to 32" monitor

EDOD-3 is VESA standard compatible, with individual height and angle adjustments.



EDOD -3-DA

Transforming Your Existing Desks to Adjustable Desk



Technical Specifications:

Lift Type: Electric

Worktop Size: 27.95" - 18.90" (710mm x 480mm)

Travel: 17.72" (45cm)

Capacity: 15 lbs (20 kg)

Max Monitor Size: 32"

Monitor Adjustment: 7.9" (200mm) up/down; +45°/-45° tilt angle

Max Each Monitor Weight: 11lbs (5kg)

No of Monitor Supported: 2

Speed: 0.98" (25mm) per second

Operation Sound: < 40db

Input/ Output: AC110~230V / DC24V



Free Standing

Simply place on the existing desk.
No additional fixing required.

Remote Control

EDOD-3-DA is a power control device. It comes with Digital Controller with LED Sit to stand with a touch of a button, Press the button to control lifting.



Desktop Organizer

There is a Mobile Holder behind the lifting button, which can be placed your mobile device safely Also EDOD-3-DA equipped with two storage boxes (~4cm x 18cm).

360 Degree adjustable


The user-friendly tilt and rotation angle adjustments of the base allow the monitor to be positioned for maximum comfort to help ease the physical strains of a long workday.



Hold up to 32" monitor

EDOD-3-DA is VESA standard compatible, with individual height and angle adjustment.

MDOD2



mm/inch

Technical Specifications:

Weight : 20kg


Capacity : 15kg

Height range : 155mm~495mm (Unlimited height levels)



Convenient to use

MDOD2 is 900mm wide, which is ideal for the desk wider than 1400mm. Simply place on the table that can be used without any installation. It is the best solution instead of switching a standing desk.



Lifting system

Manual pneumatic lifting system built-in unlimited heights adjustable positions, simply raise or lower in a few seconds effortlessly.



High Loading

It can easily load 155kg weight, even if MDOD2 is to the highest position, it can maintain a reasonable stability.




Removable ergonomic keyboard tray

Providing enough space for your keyboard and mouse.



MDOD2S




Technical Specifications:

Weight : 20kg

Capacity : 15kg

Height range : 155mm~495mm (Unlimited height levels)



Convenient to use

MDOD2S is 730mm wide, which is ideal for the small desk. Simply place on the table that can be used without any installation. It is the best solution instead of switching a standing desk.

Lifting system

Manual pneumatic lifting system built-in unlimited heights adjustable positions, simply raise or lower in a few seconds effortlessly.



High Loading

It can easily load 155kg weight, even if MDOD2SDto the highest position, it can maintain a reasonable stability.



Removable ergonomic keyboard tray

Providing enough space for your keyboard and mouse.



Our Client

中電

港鐵

H & M

港燈

BURBERRY

食物環境衛生署

環境保護處

職業訓練局

醫院管理局

香港海關

嶺南大學

香港大學

香港中文大學

香港理工大學

香港城市大學